



## **Wine Cooler**

# **INSTRUCTION MANUAL**

**Model Number:**

**AWC18BV**

**AWC36BV**

**ABC142BV**

**AWC37BV**

**AWCD160BV**

**AWC154BV**

**BEFORE USE, PLEASE READ AND FOLLOW ALL SAFETY RULES AND OPERATING INSTRUCTIONS.**

## WARNING!

- To prevent damaging the door gasket, make sure to have the door all the way opened when pulling shelves out of the rail compartment.
- The appliance must be positioned so that the plug is accessible. Release the electric cord. Move your cabinet to its final location. Do not move your Cabinet while loaded with wine. You might distort the body. The Wine Cooler should be installed in a suitable place in order to avoid Touching the compressor with the hand.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- If the supply cord is damaged, it must be replaced by manufacturer or its Service agent or a similarly qualified person in order to avoid a hazard.

This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.

– **WARNING:** Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.

– **WARNING:** Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.

– **WARNING:** Do not damage the refrigerant circuit.

– **WARNING:** Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.

This refrigerating appliance is not suitable for freezing foodstuffs.

Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.

This appliance is intended to be used in household and similar applications such as

- staff kitchen areas in shops, offices and other working environments;
- farm houses and by clients in hotels, motels and other residential type environments;
- bed and breakfast type environments;
- catering and similar non-retail applications.

– **WARNING:** To avoid a hazard due to instability of the appliance, it must be fixed in accordance with the instructions.

To avoid contamination of wine, please respect the following instructions:

- Opening the door for long periods can cause a significant increase of the temperature in the compartments of the appliance.
- Clean regularly surfaces that can come in contact with bottles and accessible drainage systems.
- Clean water tanks if they have not been used for 48 h; flush the water system connected to a water supply if water has not been drawn for 5 days.
- If the refrigerating appliance is left empty for long periods, switch off, defrost, clean, dry, and leave the door open to prevent mould developing within the appliance.

**PLEASE DON'T TRY TO PLUG INTO OR EXTENSION THE CABLE IN ANY CASE.**

## IMPORTANT SAFETY INSTRUCTIONS

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>⚡WARNING⚡</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <p>To reduce the risk of fire, electrical shock, or injury when using your appliance, follow these basic precautions:</p> |
| <ul style="list-style-type: none"> <li>• Read all instructions before using the Wine Cooler.</li> <li>• <b>DANGER or WARNING:</b> Risk of child entrapment.<br/>Child entrapment and suffocation are not problems of the past. Junked or abandoned appliances are still dangerous . . . even if they will “just sit in the garage a few days”.</li> <li>• <b>Before you throw away your old Wine Cooler:</b> Take off the door. Leave the shelves in place so that children may not easily climb inside.</li> <li>• Never allow children to operate, play with, or crawl inside the appliance.</li> <li>• Never clean appliance parts with flammable fluids. The fumes can create a fire hazard or explosion.</li> <li>• Do not store or use gasoline or any other flammable vapors and liquids in the vicinity of this or any other appliance. The fumes can create a fire hazard or explosion. Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.</li> <li>• <b>WARNING:</b> keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction;</li> <li>• Do not use mechanical devices or other means to accelerate the defrosting process, other than those Recommended by the manufacturer;</li> <li>• <b>WARNING:</b> To avoid a hazard due to instability of the appliance, it must be fixed in accordance with the instructions.</li> <li>• <b>WARNING:</b> Do not damage the refrigerant circuit;</li> <li>• <b>WARNING:</b> Do not use electrical appliances inside the food storage compartments of the appliance, unless they are the type recommended by the manufacturer.</li> </ul> <p>(1) This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.</p> <p>(2) Children should be supervised to ensure that they do not play with the appliance.</p> <p>(3) This appliance uses flammability refrigerant, please secure the cooling pipe during the delivery process. Position the Wine Cooler away from direct sunlight and sources of heat (stove, heater, radiator, etc.). Never clean appliance parts with flammable fluids. The fumes can create a fire hazard or explosion. When disposing your appliance, please choose an authorized disposal site.</p> <p>(4) The appliance must be positioned ensure the plug is accessible.</p> <p>(5) Do not store or use gasoline or any other flammable vapors and liquids in the vicinity of this or any other appliance. The fumes can create a fire hazard or explosion.</p> <p>(6) This appliance is intended to be used in household and similar applications such as:</p> <ul style="list-style-type: none"> <li>- Staff kitchen areas in shops, offices and other working environments;</li> <li>- Farm houses and by clients in hotels, motels and other residential type environments;</li> <li>- Bed and breakfast type environments;</li> <li>- Catering and similar non-retail applications</li> </ul> <p>(7) Warning: Keep ventilation openings in the appliance enclosure or in the built-in structure, clear of obstruction;</p> <p>(8) <b>Warning:</b> Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer;</p> <p>(9) <b>Warning:</b> Do not damage the refrigerant circuit;</p> <p>(10) <b>Warning:</b> Do not use electrical appliances inside the food storage compartments of the appliance, unless they are the type recommended by the manufacturer.</p> <p>(11) The instructions for refrigerating appliances and ice-makers shall include the</p> |                                                                                                                           |

substance of the following .

**WARNING:** When positioning the appliance ensure the supply cord is not trapped or damaged

**WARNING:** Do not locate multiple portable socket-outlets or portable power supplies at the rear of the appliance.

- **If the refrigerant of these appliances are R600a , Flammable and explosive articles should not be put in or near the cabinet, to avoid the fire or explode caused.**



**-Save these instructions-**

## **INSTALLATION INSTRUCTIONS**

### ➤ **Before Using Your Wine Cooler**

- Remove the exterior and interior packing.
- Before connecting the Wine Cooler to the power source, let it stand upright for approximately 2 hours. This will reduce the possibility of a malfunction in the cooling system from handling during transportation.
- Clean the interior surface with lukewarm water using a soft cloth.
- This appliance is intended to be used in household and similar applications such as
  - Staff kitchen areas in shops, offices and other working environments;
  - Farm houses and by clients in hotels, motels and other residential type environments;
  - Bed and breakfast type environments;
  - Catering and similar non-retail applications.
- When disposing your appliance, please choose an authorized disposal site.

### ➤ **Installation of Your Wine Cooler**

- This appliance is designed to be for free standing installation or built-in (fully recessed) (Refer to sticker location the back of this appliance).
- **This appliance is intended to be used exclusively for the storage of wine .**
- Place your Wine Cooler on a floor that is strong enough to support it when it is fully loaded. To level your Wine Cooler, adjust the front leveling leg at the bottom of the Wine Cooler.
- This appliance is using flammability refrigerant. So never damage the cooling pipework during the transportation. Locate the Wine Cooler away from direct sunlight and sources of heat (stove, heater, radiator, etc.). Direct sunlight may affect the acrylic coating and heat sources may increase electrical consumption. Extreme cold ambient temperatures may also cause the unit not to perform properly.
- Avoid locating the unit in moist areas.
- Plug the Wine Cooler into an exclusive, properly installed-grounded wall outlet. Do not

under any circumstances cut or remove the third (ground) prong from the power cord. Any questions concerning power and/or grounding should be directed toward a certified electrician or an authorized Products service center.

- Door handles, door hinges, trays and baskets for a minimum period of seven years and door gaskets for a minimum period of 10 year, after placing the last unit of the model on the market.
- Thermostats, temperature sensors, printed circuit boards and light sources are available for a minimum period of seven years after placing the last unit of the model on the market.

➤ **Attention**

- Store wine in sealed bottles;
- Do not overload the cabinet;
- Do not open the door unless necessary;
- Do not cover shelves with aluminum foil or any other shelf material which may prevent air circulation;
- Should the Wine Cooler be stored without use for long periods it is suggested, after a careful cleaning, to leave the door ajar to allow air to circulate inside the cabinet in order to avoid possible formations of condensation, mold or odors.

➤ **Ambient Room Temperature Limits**

This appliance is designed to operate in ambient temperatures specified by its temperature class marked on the rating plate.


| Class              | Symbol | Ambient Temperatures range(°C) |
|--------------------|--------|--------------------------------|
| Extended Temperate | SN     | + 10 to + 32                   |
| Temperate          | N      | + 16 to + 32                   |
| Subtropical        | ST     | + 16 to + 38                   |
| Tropical           | T      | + 16 to + 43                   |

## OPERATING YOUR WINE COOLER

The Wine Cooler should be placed in where the ambient temperature is below 35°C. If the ambient temperature is above this range, the performance of the unit may be affected and may cause interior temperatures to fluctuate. The range of setting temperatures may not be reached.

### ➤ The controls of your Wine Cooler

#### For AWC18BV,AWC36BV



For AWC18BV has a temperature range from 6-18°C

For AWC36BV has a temperature range from 6-18°C

#### 1. Power button:

Press and hold this button for 3 seconds to turn off the appliance. With a slight press again to turn it on.

#### 2. Changing the running modes:

The default setting is “STD” (Standard) mode when appliance connect the power.

A.Each press the button to alternate the three modes: STD, ECO and DEMO.

B.Press and hold the the button for three seconds, system enter into Sabbath mode. Press and hold again for 3 seconds. System alternate to STD mode.

#### 3. Changing the LED light color:

The LED light and button backlight default setting is Bright(white) color when appliance connect the power.Each press the button. The LED light and button backlight alternated three colors: Bright(white) ,UV(blue) and Amber(orange).

#### 4. Changing the LED light mode :

The default setting is L1. Each press the button to alternate different modes: L1. L2, L3 and L4.

L1: Door open light on with 100% brightness, door close light off.

L2: The light will stay constantly illuminated whether the door is open or closed. (100 % brightness when door open and 70% brightness when door closed)

L3 : Delay off function A: 100% brightness when door open. 70% brightness when door closed and LED light will tune off automatically after 30 minutes.

L4:Delay off function B. 100% brightness when door open. 70% brightness when door closed and LED light will tune off automatically after one minute.

#### 5. Adjusting the LED light brightness.

The default setting 100% brightness when door open. 75% brightness when door closed.Each press the button. The brightness alternate between 50%. 70% and 100%. The brightness keeping same as setting when door closed.

6. Display of the setting temperature.

7. Up button

Press this button to increase the temperature by one degree increments.


8. Down button

Press this button to decrease the temperature by one degree increments.

9. To switch between the Celsius or Fahrenheit.

Press and hold up button and down button for 3 seconds to switch between C and F. The indicator light will illuminate on the desired temperature setting.

### For ABC142BV



This beverage cooler has a temperature range from 2-10°C

1. Child Lock:

The default setting is unlock when appliance connect the power. Press and hold the button for 3 seconds to lock it. And press again and hold this button for 3 seconds for unlock.

2. Changing the running modes

The default setting is “STD” (Standard) mode when appliance connect the power.

a. Each press the button to alternate the three modes: STD, ECO and DEMO.

b. Press and hold the button for three seconds, system enter into Sabbath mode. Press and hold again for 3 seconds. System alternate to STD mode.

3. Changing the LED light color

The LED light and button backlight default setting is **Bright(white)** color when appliance connect the power. Each press the button. The LED light and button backlight alternated three colors:

**Bright(white) ,UV(blue) and Amber(orange).**

4. Changing the LED light mode

The default setting is L1. Each press the button to alternate different modes: L1, L2, L3 and L4.

L1: Door open light on with 100% brightness, door close light off.

L2: The light will stay constantly illuminated whether the door is open or closed. (100 % brightness when door open and 70% brightness when door closed)

L3 : Delay off function A: 100% brightness when door open. 70% brightness when door closed and LED light will tune off automatically after 30 minutes.

L4: Delay off function B. 100% brightness when door open. 70% brightness when door closed and LED light will tune off automatically after one minute.

5. Adjusting the LED light brightness.

The default setting 100% brightness when door open. 75% brightness when door closed. Each press the button. The brightness alternate between 50%, 70% and 100%. The brightness

keeping same as setting when door closed.

6. Power button.

Press and hold this button for 3 seconds to turn off the appliance. With a slight press again to turn it on.

7. Display of the setting temperature.

8. Up button.


Press this button to increase the temperature by one degree increments.

9. Down button

Press this button to decrease the temperature by one degree increments.

10.To switch between the Celsius or Fahrenheit.

Press and hold up button and down button for 3 seconds to switch between C and F. The indicator light will illuminate on the desired temperature setting.



For AWC37BV has a temperature range from 6-12°C for the upper zone, and 12-18°C for the lower zone.

For AWCD160BV and AWC154BV has a temperature range from 6-18°C.

1. Child Lock

The default setting is unlock when appliance connect the power. Press and hold the button for 3 seconds to lock it. And press again and hold this button for 3 seconds for unlock.

2. Changing the running modes

The default setting is "STD" (Standard) mode when appliance connect the power.

a. Each press the button to alternate the three modes: STD, ECO and DEMO.

b. Press and hold the button for three seconds, system enter into Sabbath mode.

Press and hold again for 3 seconds. System alternate to STD mode.

3. Changing the LED light color

The LED light and button backlight default setting is **Bright(white)** color when appliance connect the power. Each press the button. The LED light and button backlight alternated three colors:

**Bright(white), UV(blue) and Amber(orange).**

4. Changing the LED light mode

The default setting is L1. Each press the button to alternate different modes: L1, L2, L3 and L4.

L1: Door open light on with 100% brightness, door close light off.

L2: The light will stay constantly illuminated whether the door is open or closed. (100 % brightness when door open and 70% brightness when door closed)

L3: Delay off function A: 100% brightness when door open. 70% brightness when door closed and LED light will tune off automatically after 30 minutes.

L4: Delay off function B. 100% brightness when door open. 70% brightness when door closed and LED light will tune off automatically after one minute.

5. Adjusting the LED light brightness.

The default setting 100% brightness when door open. 75% brightness when door closed.

Each press the button. The brightness alternate between 50%. 70% and 100%. The brightness keeping same as setting when door closed.

6. Power button

Press and hold this button for 3 seconds to turn off the appliance. With a slight press again to turn it on.

7. Display of the setting temperature in the upper zone

8. Upper zone temperature setting(up button).

Press this button to increase the temperature by one degree increments.

9. Upper zone temperature setting (down button).

Press this button to decrease the temperature by one degree increments.

10. Display of the setting temperature in the lower zone.

11. Lower zone temperature setting (up button)

Press this button to increase the temperature by one degree increments.

12. Lower zone temperature setting (down button)

Press this button to decrease the temperature by one degree increments.

13. To switch between the Celsius or Fahrenheit.

Press and hold up button and down button (the same side for upper zone or lower zone ) for 3 seconds to switch between C and F. The indicator light will illuminate on the desired temperature setting.

**NOTE:**

- If the unit is unplugged, power lost, or turned off, you must wait 3 to 5 minutes before restarting the unit. If you attempt to restart before this time delay, the Wine Cooler will not start.
- When you use the Wine Cooler for the first time or restart the Wine Cooler after having been shut off for a long time, there could be a few degrees variance between the temperature you select and the one indicated on the LED readout. This is normal and it is due to the length of the activation time. Once the Wine Cooler is running for a few hours everything will be back to normal.
- Note: During periods of high humidity, some condensation may appear on outside surfaces of cooling appliances. This condensation will disappear when humidity levels drop. For prevention it is advisable to install the appliance with sufficient ventilation in a dry and/or an air-conditioned room. Please ensure that doors are closing and sealing properly.

➤ **Sabbath Mode**

To enable or disable Sabbath mode, press and hold the button for 3 seconds. The interior light and control display will go dark, until the user disables Sabbath mode.

Sabbath mode disables system responses to user-initiated activities and all external functions, including lighting, display and audible alarms. The unit will still maintain internal temperatures and set points.

➤ **Temperature Memory Function**

The Wine Cooler is equipped with a temperature memory function. If power is suddenly lost, the previously set temperature will be saved and the Wine Cooler will return to this setting once power is restored.

➤ **Temperature Alarm**

If the interior temperature is higher than 23°C, “HI” is shown on the temperature control panel and the temperature alarm will sound continuously after one hour. This indicates that the inner temperature is too high. If the inner temperature is lower than -1°C, (ABC142BV is lower than -3°C), “LO” is shown on the temperature display panel and the temperature alarm will sound continuously after 15 minutes.


➤ **Door Lock**

The Wine Cooler is provided with a lock and key combination.

The keys are located inside the plastic bag that contains the Instruction Manual. Insert the key into the lock and turn it counterclockwise to unlock the door. To lock the door, do the reverse operation making sure metal pin engaged completely. Remove the key and place it in a secure place for safekeeping.

➤ **How to remove the shelf**  
**For AWC154BV**


- To prevent damaging the door gasket, make sure to have the door all the way opened when pulling shelves out of the rail compartment.
- To Remove Shelves:
  1. Fully extend the shelf you wish to remove (Fig. A)
  2. Pull the shelf towards you until the buckle is released. (Fig. B)
  3. Holding the shelf track with both hands, push the shelf up horizontally (Fig. C)



**For AWCD160BV**

- To prevent damaging the door gasket, make sure to have the door all the way opened when pulling the bottom shelf out of the rail compartment.
- For easy access to the storage content, you must pull the shelf approximately 1/2 out of the rail compartment, however this unit was designed with a plastic post on each side of the shelf track to prevent bottles from falling.
- When removing the shelf out of the inner rail, make sure to remove all items first. Then move the shelf to the position where the notch of shelf is exactly under the plastic post and lift the

shelf. In order to replace the shelf, repeat steps described above in reverse.




**For AWC36BV, AWC18BV, ABC142BV, AWC37BV**

- To prevent damaging the door gasket, make sure to have the door all the way opened when pulling shelves out of the rail compartment.
- For easy access to the storage content, you must pull the shelves approximately 1/3 out of the rail compartment, however this unit was designed with a notch on each side of the shelf tracks to prevent bottles from falling.




➤ **Installation specifications for built-in purposes**


**AWC18BV**




**ABC142BV/AWC37BV/AWC36BV**



## AWC154BV



## AWCD160BV



➤ **Recommended temperature settings**

|                                                                                                            |              |
|------------------------------------------------------------------------------------------------------------|--------------|
| For keeping ALL TYPES OF WINES                                                                             | 12°C to 14°C |
| Champagne NV, Sparkling                                                                                    | 6°C          |
| Champagne Vintage                                                                                          | 10°C         |
| Dry White Semillon, Sauvignon Blanc                                                                        | 8°C          |
| Dry White Gewurztraminer, Riesling                                                                         | 10°C         |
| Dry White Chardonnay                                                                                       | 10°C         |
| Vintage chardonnay                                                                                         | 14°C         |
| Sweet White Sauternes Monbazillac, Late Harvest ice wine                                                   | 10°C         |
| Sweet whites vintage Sauternes                                                                             | 14°C         |
| Beaujolais                                                                                                 | 13°C         |
| Red Pinot Noir                                                                                             | 16°C         |
| Vintage Pinot noir red                                                                                     | 20°C         |
| Red Cabernet, Merlot, French, Australian, New Zealand, Chilean, Argentinean, Italian, Spanish, Californian | 20°C         |
| Red Grenache, Syrah                                                                                        | 16°C         |

## CARE AND MAINTENANCE

### ➤ **Clean your Wine Cooler**

- Turn off the power, unplug the appliance, and remove all items including shelves and rack.
- Wash the inside surfaces with a warm water and mild solution.
- Wash the shelves with a mild detergent solution.
- Wring excess water out of the sponge or cloth when cleaning area of the controls, or any electrical parts.
- Wash the outside cabinet with warm water and mild liquid detergent. Rinse well and wipe dry with a clean soft cloth.

### ➤ **Power failure**

- Most power failures are corrected within a few hours and should not affect the temperature of your appliance if you minimize the number of times the door is opened. If the power is going to be off for a long period of time, you need to take the proper steps to protect your contents.

### ➤ **Vacation time**

- **Short vacations:** Leave the Wine Cooler operating during vacations of less than three weeks.
- If the appliance will not be used for several months, remove all items and turn off the Wine Cooler. Clean and dry the interior thoroughly. To prevent odor and mold growth, leave the door open slightly: blocking it open if necessary.

### ➤ **Moving your Wine Cooler**

- Remove all items.
- Take out the loose items inside the Wine Cooler (such as shelf), or fix the loose items with the foam.
- Turn the adjustable leg up to the base to avoid damage.
- Tape the door shut.
- Be sure the appliance stays secure in the upright position during transportation. Also protect outside of appliance with a blanket or similar items.

### ➤ **Energy saving tips**

- The Wine Cooler should be located in the coolest area of the room, away from producing appliances, and out of the direct sunlight.

### ➤ **Layout and storage**

Your Wine Cooler is designed to store a maximum number of bottles securely. We recommend that you observe the tips below to optimize loading:

- Remove tape from shelves once unit is stable and ready for storage.
- Disperse the bottles evenly to avoid concentrating weight in one place. Bottles must not touch either the back of the cabinet or the step at the bottom.
- While your Wine Cooler is designed to hold large format bottles such as Pinot Noir and Champagne, these larger bottles reduce the number of bottles you can fit on 1 shelf.
- Make sure that the bottles are not all grouped together either at the top or bottom of the Wine Cooler.
- Bottles dispersed evenly throughout the Wine Cooler will contribute to optimal cooling.
- Only pull out one rolling shelf at a time. Never attempt to pull more than one.
- Maximum weight capacity per shelf is 25 kilograms.

### ➤ **ALL THE APPLIANCES ARE DESIGNED WITH LED LIGHT, IF LED LIGHT IS DAMAGE, PLEASE CONTACT YOUR AFTER-SALES SERVICE TO REPLACE IT.**

## PROBLEMS WITH YOUR WINE Cooler?

You can solve many common Wine Cooler problems easily, saving you the cost of a possible service call. Try the suggestions below to see if you can solve the problem before calling the Service Centre.

### TROUBLESHOOTING GUIDE

| PROBLEM                                        | POSSIBLE CAUSE                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Wine Cooler does not operate.                  | Not plugged in.<br>The appliance is turned off.<br>The circuit breaker tripped or a blown fuse.                                                                                                                                                                                                                     |
| Wine Cooler is not cold enough.                | Check the temperature control setting.<br>External environment may require a higher setting.<br>The door is open too often.<br>The door is not closed completely.<br>The door gasket does not seal properly.                                                                                                        |
| Turns on and off frequently.                   | The room temperature is hotter than normal.<br>A large number of contents has been added to the wine Cooler.<br>The door is open too often.<br>The door is not closed completely.<br>The temperature control is not set correctly.<br>The door gasket does not seal properly.                                       |
| The light does not work.                       | Not plugged in.<br>The circuit breaker tripped or a blown fuse.<br>The bulb has burned out.<br>The light button is "OFF".                                                                                                                                                                                           |
| Vibrations.                                    | Check to assure that the wine Cooler is level.<br>Check to assure no parts inside the cabinet or in the compressor chamber are loose.                                                                                                                                                                               |
| The wine Cooler seems to make too much noise.  | The rattling noise may come from the flow of the refrigerant, which is normal.<br>As each cycle ends, you may hear gurgling sounds caused by the flow of refrigerant in your wine Cooler.<br>Contraction and expansion of the inside walls may cause popping and crackling noises.<br>The wine Cooler is not level. |
| The door will not close properly.              | The wine Cooler is not level.<br>The door was reversed and not properly installed.<br>The gasket is dirty.<br>The shelves are out of position.                                                                                                                                                                      |
| Condensation forms on the door.                | Condensation will form on the door due to high humidity in the area. Install the appliance with sufficient ventilation in a dry and/ or air-conditioned room                                                                                                                                                        |
| Water condensation may form on the glass door. | Condensation will form on the door due to high humidity in the area. Install the appliance with sufficient ventilation in a dry and/ or air-conditioned room                                                                                                                                                        |

# Warranty Card

artusi.com.au

**Worldwide Appliances Pty Limited**

**A.B.N. 45868077422**

**Distributed by Eurolinx Pty Ltd**

**Office:**

**48-50 Moore Street, Leichhardt N.S.W 2040**

**Post:**

**Locked Bag 3000, Annandale, N.S.W 2038**

**P: 1300 694 583**

## **WARRANTY REGISTRATION**

Your ongoing satisfaction with your artusi product is important to us. We ask that you complete the enclosed Warranty Registration Card and return it to us so that we have a record of the artusi product purchased by you.

## **PRIVACY**

Worldwide Appliances respects your privacy and is committed to handling your personal information in accordance with the National Privacy Principles and the Privacy Act 1988 (Cth). A copy of the Worldwide Appliances Privacy Policy is available at [www.artusi.com.au](http://www.artusi.com.au). Worldwide Appliances will not disclose any personal information set out in the Warranty Registration Card ("Personal Information") without your consent unless required by:

1. law;
2. any Worldwide Appliances related company;
3. any service provider which provide services to artusi or assist artusi in providing services (including repair and warranty services) to customers. Our purpose in collecting the Personal Information is

to keep a record of the artusi product purchased by you, in order to provide a better warranty service to you in the unlikely event that there is a problem with your artusi product. Worldwide Appliances may contact you at any one or more of the address, email address or telephone numbers set out in the Warranty Registration Card. Please contact artusi on 1300 694 583 should you not wish to be contacted by Worldwide Appliances.

## **WARRANTY**

### **1. Warranty**

Worldwide Appliances warrants that each artusi product will remain, for a period of either 12 months or 24 months of warranty. All Warranties are valid from the original date of purchase, And warranty claims must be accompanied by the proof of purchase.

### **24 months warranty products:**

All Built-in Appliances – Limited to Ovens, Gas, Induction and Electric Cooktops, and All Rangehoods. Freestanding Cookers - Gas and Electric Models (900mm Width).

Dishwashers - Freestanding, Fully Integrated, Semi Integrated and built-in. All Wine coolers. All Dryers. Freestanding Cookers - Gas and Electric Models in 50cm, 54cm and 60cm Widths

Portable Appliances\* – Benchtop Models and Portable Gas Models

### **2. What is not Covered by the Warranty.**

The Warranty does not apply if an artusi product is defective by a factor other than a defect arising in the manufacture of the artusi product, including but not limited to:

- (a) damage through misuse (including failure to maintain, service or use with proper care), neglect, accident or ordinary wear and tear (including deterioration of parts and accessories and glass breakage);
  - (b) use for purpose for which the artusi product was not sold or designed;
  - (c) use or installation which is not in accordance with any specified instructions for use or installation;
  - (d) use or operation after a defect has occurred or been discovered;
  - (e) damage through freight, transportation or handling in transit (other than when Worldwide Appliances is responsible);
  - (f) damage through exposure to chemicals, dusts, residues, excessive voltage, heat, atmospheric conditions or other forces or environmental factors outside the control of Worldwide Appliances;
  - (g) repair, modification or tampering by the purchaser or any person other than Worldwide Appliances, an employee of Worldwide Appliances or an authorised artusi service contractor\*;
  - (h) use of parts, components or accessories which have not been supplied or specifically approved by artusi.
  - (i) damage to surface coatings caused by cleaning or maintenance using products not recommended in the artusi product handbook provided to the purchaser upon purchase of the artusi product;
  - (j) damage to the base of an electric oven due to items having been placed on the base of the oven cavity or covering the base, such as aluminium foil (this impedes the transfer of heat from the element to the oven cavity and can result in irreparable damage); or
  - (k) damages, dents or other cosmetic imperfections not affecting the performance of the artusi in respect of an artusi product purchased as a "factory second" or from display
- The Warranty does not extend to light globes used in artusi products.

### **3. Domestic Use**

Each artusi product is made for domestic use. This Warranty may not extend to artusi products used for commercial purposes.

***Continued over...***

#### 4. Time for Claim under the Warranty

You must make any claim under this Warranty within twenty eight (28) days after the occurrence of an event which gives rise to a claim pursuant to the Warranty, by booking a service call on the telephone number below.

#### 5. Proof of Purchase

Customers must retain proof of purchase in order to be eligible to make a warranty claim in respect of an artusi product.

#### 6. Claiming under the Warranty

Customers will bear the cost of claiming under this Warranty unless Worldwide Appliances determines the expenses are reasonable, in which case the customer must claim those expenses by providing written evidence of each expense to Worldwide Appliances at the address on the Warranty Registration Card.

#### 7. Statutory Rights

(a) These terms and conditions do not affect your statutory rights.

(b) The limitations on the Warranty set out in this document do not exclude or limit the application of the consumer guarantees set out in the Act or any other equivalent or corresponding legislation in the relevant jurisdiction where to do so would:

(i) contravene the law of the relevant jurisdiction; or

(ii) cause any part of the Warranty to be void.

(c) Worldwide Appliances excludes indirect or consequential loss of any kind (including, without limitation, loss of use of the artusi product) and (other than expressly provided for in these terms and conditions) subject to all terms, conditions and warranties implied by custom, the general law, the Act or other statute.

(d) The liability of Worldwide Appliances to you

for a breach of any express or non-excludable implied term, condition or warranty is limited at the option of Worldwide Appliances to:

(i) replacing or repairing the defective part of the artusi product;

(ii) paying the cost of replacing or repairing the defective part of the artusi product;

(iii) replacing the artusi product; or

(iv) paying the cost of replacing the artusi product.

(e) Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

#### 8. Defects

Any part of an artusi product deemed to be defective and replaced by Worldwide Appliances is the property of Worldwide Appliances. Worldwide Appliances reserves the right to inspect and test artusi products in order to determine the extent of any defect and the validity of a claim under the Warranty.

**All warranty service calls must be booked via the customer care department. The team can be contacted on 1 300 85 64 11 option 1 or [customercare@eurolinx.com.au](mailto:customercare@eurolinx.com.au)**

**01082016**

**DON'T FORGET TO REGISTER  
YOUR WARRANTY ONLINE  
NOW AT [www.eurolinx.support](http://www.eurolinx.support)**



**TO REGISTER  
YOUR WARRANTY**



**FOLLOW US ON:**



/artusi\_kitchen\_laundry\_outdoor



/au.linkedin.com/company/eurolinx-ptyltd

[artusi.com.au](http://artusi.com.au)

---

Australia National Telephone Number 1300 694 583

Our showrooms opening hours in each state are available on our website

**NSW & ACT (Head Office)**

48-50 Moore Street  
Leichhardt

**Victoria**

2r/131 Church Street  
Hawthorn

**QLD**

Contact  
head office

**WA & NT**

Contact  
head office

---

**DISCLAIMER**

Worldwide Appliances PTY LTD, trading as ARTUSI, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ARTUSI and are not authorised to bind ARTUSI by any express or implied undertaking or representation.

